

## MATERIAL SAFETY DATA SHEET

**PRODUCT NAME : OIL - APIEZON J & K**

### 1. Product and Company Identification

Product name: Apiezon J Oil, Apiezon K Oil  
Synonyms: None  
Item Numbers: Apiezon J Oil: H111-03-016  
Apiezon K Oil: H111-04-018

#### European Contact Details

Edwards, Manor Royal, Crawley  
West Sussex, RH10 9LW, England  
E-mail: info@edwardsvacuum.com

##### General enquiries

UK : +44 (0)1293 528844  
France : +(33) 1 47 98 24 01  
Germany : +(49) 6420-82-410  
Italy : +(39) 0248-4471

#### US Contact Details

Edwards, Three Highwood Drive, Suite 3-10E,  
Highwood Office Park, Tewksbury, MA 01876

##### General enquiries

+(1) 978-658-5410  
Toll Free: 1-800-848-9800

24 h Emergency telephone number:

Chemtrec: 1-800-424-9300

### 2. Hazards Identification

#### EMERGENCY OVERVIEW

This material when properly handled according to good working and hygienic practices is not dangerous to human health and the environment.

For short and long term exposure effects see Section 11 Toxicological data.

Eye Effects: May cause transient irritation.

Skin Effects: May cause minimal irritation after short term exposure. Repeated and prolonged contact may be expected to cause some irritation.

Ingestion/Oral Effects: May be considered as non-toxic following oral administration. May cause nausea, vomiting and diarrhoea.

Inhalation Effects: Low volatility makes hazardous inhalation effects unlikely.

## MATERIAL SAFETY DATA SHEET

**PRODUCT NAME : OIL - APIEZON J & K**

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known.

NFPA Hazard codes		HMIS Hazard codes		Rating System
Health	1	Health	1	0 = No Hazard 1 = Slight Hazard 2 = Moderate Hazard 3 = Serious Hazard 4 = Severe Hazard
Flammability	1	Flammability	1	
Instability	0	Reactivity	0	

### 3. Composition/Information on Ingredients

Ingredient	% Weight	CAS No	Hazard class*	Risk phrase*
Hydrocarbon Oil	Percentage composition not available	8012-95-1 64741-56-6	Not applicable	Not applicable

\*Hazard class & Risk phrase. These columns are only completed for ingredients which are classified as hazardous under EU Directive No 1272/2008 (as amended) and are present in sufficient concentration to make the overall substance hazardous. In all other situations, the column will be completed as "Not applicable".

### 4. First Aid Measures

- Eyes: Irrigate with copious quantities of water. If irritation persists, seek medical attention.
- Skin: Wash with soap and water. If irritation persists, seek medical attention.
- Ingestion/Oral: Do not induce vomiting. Obtain medical attention.
- Inhalation: None envisaged. If overcome by high concentrations of mists, or fumes from heated product, remove to fresh air. If breathing problems occur, a qualified individual should administer oxygen or artificial respiration as indicated. Seek medical attention immediately.
- Other Information: None.

### 5. Fire Fighting Measures

- Extinguishing Media: Carbon dioxide, dry powder, foam or water fog. Do not use water jets. Direct water stream may cause violent frothing.
- Fire and Explosion Hazard: No unusual hazards identified. Hazardous decomposition products: trace amounts of polycyclic hydrocarbons and nitrogen dioxide.
- Special Protective Equipment for Fire Fighters: In confined spaces, fire fighters should wear a self-contained breathing apparatus (SCBA) which meets appropriate standards operated in positive pressure mode and full turnout gear.

For Flammability Properties - see Section 9.

## MATERIAL SAFETY DATA SHEET

<b>PRODUCT NAME : OIL - APIEZON J &amp; K</b>
---

### 6. Accidental Release Measures

Contain spill. Soak up spill with absorbent granules before washing area to prevent slip hazard. Prevent product from entering drains, sewers and watercourses.

### 7. Handling and Storage

Handling: No special precautions required.

Storage: No special precautions required.

### 8. Exposure Controls/Personal Protection

#### Exposure Limits:

Ingredient	ACGIH - TLV -	OSHA - PEL	Occupational Exposure Limits EH40 (UK)
Hydrocarbon Oil	5 mg/m <sup>3</sup> - 8 H TWA <sup>(1)</sup> 10 mg/m <sup>3</sup> - STEL (as oil mist, mineral)	5 mg/m <sup>3</sup> - 8 H TWA (as oil mist, mineral)	5 mg/m <sup>3</sup> - 8h TWA <sup>(2)</sup> 10 mg/m <sup>3</sup> -STEL <sup>(2)</sup>

(1) As sampled by a method which does not collect vapour.

(2) Recommendation by the manufacturer for oil mists.

#### Personal Protection:

Engineering Measures: None required under normal conditions of use.

Respiratory Protection: None required under normal conditions of use.

Hand/Skin Protection: Wear impervious gloves. Avoid prolonged exposure.

Eye/Face Protection: Use chemical splash goggles in case of splashing.

Hygiene Measures: Practice good workplace hygiene. Do not eat or smoke when handling. Wash hands after use and before eating.

Other/General Protection: None.

### 9. Physical and Chemical Properties

#### Apiezion J Oil

Appearance and Odour	Brown/black high viscosity liquid with pungent odour	Boiling point	245 / 473 (@1.33mbar/1Torr)	°C/°F
pH (as supplied)	No data available	Freezing Point	No data available	°C/°F
Solubility in Water	Insoluble	Auto Ignition	Not determined	°C/°F
Volatile Content by Volume	No data available	Flash Point	> 350 / 662	°C/°F
Specific Gravity	0.93 @ 20 °C/68 °F			
Vapour Pressure (mbar)	No data available	Vapour Pressure (Torr)	No data available	

## MATERIAL SAFETY DATA SHEET

**PRODUCT NAME : OIL - APIEZON J & K**

### Apiezon K Oil

Appearance and Odour	Brown/black high viscosity liquid with pungent odour	Boiling point	300 / 572 (@1.33mbar/1Torr)	°C/°F
pH (as supplied)	No data available	Freezing Point	No data available	°C/°F
Solubility in Water	Insoluble	Auto Ignition	Not determined	°C/°F
Volatile Content by Volume	No data available	Flash Point	> 350 / 662	°C/°F
Specific Gravity	0.94 @ 20 °C/68 °F			
Vapour Pressure (mbar)	No data available	Vapour Pressure (Torr)	No data available	

### 10. Stability and Reactivity

Stability:	Stable.
Material/Conditions to Avoid:	Avoid temperatures > 200 °C/392 °F. Avoid strong oxidising agents.
Hazardous Decomposition:	Trace amounts of polycyclic hydrocarbons and nitrogen dioxide.
Hazardous Polymerisation:	Will not polymerise.

### 11. Toxicological Information

For a comprehensive description for the various toxicological (health) effects which may arise if the user comes into contact with the substance or preparation refer to Section 2 Hazards Identification.

#### Animal data:

LD50 value:	Oral: >2 g/kg (rat), Dermal: >2 g/kg (rabbit).
LC50 value:	No information available.

#### Carcinogenicity:

No known carcinogenic or mutagenic effects.

### 12. Ecological Information

When the product is used and/or disposed of as indicated no adverse environmental effects are foreseen.

Mobility:	The material has negligible volatility in air and low solubility in water.
Degradability:	The material is slowly biodegradable in aerobic conditions.

### 13. Disposal Considerations

The product and its packaging must be disposed of in accordance with local and national regulations. The product may be incinerated. Unused product may be returned for reclamation.

## MATERIAL SAFETY DATA SHEET

**PRODUCT NAME : OIL - APIEZON J & K**

### 14. Transport Information

This product is not classified as dangerous under transport regulations.

PARAMETER	EUROPEAN	CANADIAN TDG	UNITED STATES DOT
Proper Shipping Name	Not applicable	Not applicable	Not applicable
Hazard Class	Not applicable	Not applicable	Not applicable
Identification Number	Not applicable	Not applicable	Not applicable
Shipping Label	Not applicable	Not applicable	Not applicable

### 15. Regulatory Information

#### European Regulatory Information

This product has been classified in accordance with EU Regulation No 1272/2008 (as amended) on the Classification, Labelling and Packaging of Substances and Mixtures.

Classified as dangerous to supply: No.

Risk Phrases : Not applicable.

Safety Phrases : Not applicable.

Symbols : None.

#### United States Regulatory Information

All materials contained in this product are on the U.S. Toxic Substances Control Act (TSCA).

SARA TITLE III - SECTION 313 SUPPLIER NOTIFICATION:

This product does not contain toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act (EPCRA) of 1986 and 40 CFR Part 372.

California Proposition 65: This product does not contain ingredients known to the State of California to cause cancer or reproductive toxicity.

#### Canadian Regulatory Information

WHMIS Classification: D2B.

All ingredients in this product are included in the Canadian DSL.

### 16. Other Information

This MSDS is compiled in accordance with ANSI Z400.1 and Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Sources of information for this data sheet:

- M & I Materials Ltd "APIEZON J OIL" Safety Data Sheet. Issue date: January 2010.
- M & I Materials Ltd "APIEZON K OIL" Safety Data Sheet. Issue date: January 2010.

## MATERIAL SAFETY DATA SHEET

**PRODUCT NAME : OIL - APIEZON J & K**

### Glossary:

ACGIH - American Conference of Governmental Industrial Hygienists; ANSI - American National Standards Institute; Canadian TDG - Canadian Transportation of Dangerous Goods; CAS - Chemical Abstracts Service; Chemtrec - Chemical Transportation Emergency Center (US); DSL - Domestic Substances List; EH40 (UK) - HSE Guidance Note EH40 Occupational exposure limits; EPCRA - Emergency Planning and Community Right-to-Know Act; HMIS - Hazardous Material Information Service; LC - Lethal Concentration; LD - Lethal Dose; NFPA - National Fire Protection Association; OSHA - Occupational Safety and Health Administration, US department of Labour; PEL - Permissible exposure limit; SARA (Title III) - Superfund Amendments and Reauthorization Act; SARA 313 - Superfund Amendments and Reauthorization Act, Section 313; SCBA - Self-Contained Breathing Apparatus; STEL - Short Term Exposure Limit; TLV - threshold limit value; TSCA - Toxic Substances Control Act Public Law 94-469; TWA - Time-Weighted Average; US DOT - US Department of Transportation; WHMIS - Workplace Hazardous Materials Information System.

### Revisions:

Jul 2010 - Data Sheet updated to reflect the latest supplier safety information.

---

Although the information and recommendations in this data sheet are to the best of our knowledge correct, it is recommended that you make your own determination of the material's suitability for your purpose before you use it. The information contained in this data sheet has been reproduced from the manufacturers data; the accuracy of this information is the responsibility of the manufacturer. Edwards accept no responsibility for damage of any nature resulting from the use of, or the reliance upon, this data sheet.